Sunbeam®

Renue® Contoured Back Heating Pad
For product questions contact:
Sunbeam Consumer Service
USA: 1.800.435.1250
www.sunbeam.com
Model 806



IMPORTANT SAFETY INSTRUCTIONS
DO NOT DESTROY

DANGER – TO REDUCE THE RISK OF BURNS, ELECTRIC SHOCK AND FIRE, THIS PRODUCT MUST BE USED IN ACCORDANCE WITH THE FOLLOWING INSTRUCTIONS:

1. READ ALL INSTRUCTIONS.
2. DO NOT USE WHILE SLEEPING.
3. DO NOT USE ON AN INFANT OR ON AN ANIMAL.
4. THIS PAD IS NOT TO BE USED ON OR BY AN INVALID, SLEEPING, HELPLESS OR UNCONSCIOUS PERSON, A PERSON WITH DIABETES, A PERSON WITH POOR BLOOD CIRCULATION OR INSENSITIVITY TO HEAT, OR A PERSON INCAPACITATED BY MEDICATION.
5. THIS APPLIANCE IS NOT TO BE USED BY CHILDREN. CLOSE SUPERVISION IS NECESSARY WHEN ANY APPLIANCE IS USED NEAR CHILDREN. CHILDREN SHOULD NOT PLAY WITH THE APPLIANCE.
6. DO NOT USE ON AREAS OF INSENSITIVE SKIN.
7. BURNS CAN OCCUR REGARDLESS OF CONTROL SETTING, CHECK SKIN UNDER PAD FREQUENTLY.
8. DO NOT USE IN AN OXYGEN ATMOSPHERE.
9. DO NOT USE PINS OR OTHER METALLIC MEANS TO FASTEN THIS PAD IN PLACE.
10. DO NOT SIT ON, AGAINST, OR CRUSH PAD – AVOID SHARP FOLDS. PLACE PAD ON TOP OF AND NOT UNDER THE PART OF BODY NEEDING HEAT.
11. UNPLUG WHEN NOT IN USE. NEVER LEAVE APPLIANCE UNATTENDED, ESPECIALLY IF CHILDREN ARE PRESENT.
12. NEVER PULL THIS PAD BY THE SUPPLY CORD. DO NOT USE THE CORD AS A HANDLE. DO NOT PINCH CORD.
13. DO NOT TUCK IN, TRAP, FOLD, CROSS, PINCH OR WRAP CONTROL OR CORD WITH HEATING PAD DURING USE.

14. DO NOT PLACE ANYTHING OVER THE HEATING PAD WHILE IN USE OR PLUGGED IN, SUCH AS A TOWEL, BLANKET, CLOTHING, OR ANY OTHER INSULATING MATERIAL, AND NEVER ALLOW HEATING PAD TO WRAP AROUND ITSELF.
15. CAREFULLY EXAMINE PAD, COVER, CORD AND CONTROLLER BEFORE EACH USE. DISCARD THE PAD IF ANY SIGN OF DETERIORATION, WEAR OR DAMAGE. DO NOT TAMPER WITH THIS PAD IN ANY WAY. THERE ARE NO USER SERVICEABLE PARTS. IF PAD DOES NOT FUNCTION SATISFACTORILY, SEE WARRANTY FOR CUSTOMER CONTACT INFORMATION.
16. LOOP CORD LOOSELY WHEN STORING, TIGHT WRAPPING MAY DAMAGE CORD AND INTERNAL PARTS. ALLOW TO COOL BEFORE STORING AND DO NOT CREASE BY PLACING ITEMS ON TOP OF IT. STORE IN THE ORIGINAL PACKAGING, IN A COOL, DARK, DRY PLACE.
17. IF PROVIDED WITH A DETACHABLE CONTROLLER, USE ONLY WITH THE PROVIDED CONTROLLER.
18. USE THIS PAD ONLY AT RATED VOLTAGE, AS MARKED ON THE PRODUCT. DO NOT USE WITH GENERATORS, POWER CONVERTERS, OR INVERTERS.
19. DO NOT USE THIS PAD WITH LINIMENT, SALVE OR OINTMENT PREPARATIONS. SKIN BURNS COULD RESULT.
20. THIS APPLIANCE IS NOT INTENDED FOR MEDICAL USE IN HOSPITALS.
21. SAVE THESE INSTRUCTIONS.

HOUSEHOLD USE ONLY

North American models with polarized plugs:

POLARIZED PLUG

This appliance has a polarized plug, (one blade is wider than the other). As a safety feature to reduce the risk of electrical shock, this plug is intended to fit in a polarized outlet only one way. If the plug does not fit fully in the outlet, reverse the plug. If it still does not fit, contact a qualified electrician. Do not attempt to defeat this safety feature or modify the plug in any way. If the plug fits loosely into the AC outlet or if the AC outlet feels warm do not use that outlet.

HOW TO APPLY YOUR HEATING PAD

NOTE: Always consult with your physician or health professional for recommended treatment of an injury or chronic muscle pain.

1. This pad can be worn on several different areas of the body and when used with the adjustable extender waist strap (Figure 1, number 3) can stretch up to 85 inches for size adjustability and comfortable fit. See Figure 2 for ways to wear your heating pad.
2. Position contoured back heating pad (Figure 1, number 1) on the area requiring heat therapy.
3. Pull on the elastic pad straps (Figure 1, number 2) and securely fasten one end to the other.
4. For additional length, attach the adjustable extender waist strap (Figure 1, number 3) to the elastic pad straps (Figure 1, number 2). To lengthen or shorten strap length, hold plastic strap length adjuster (Figure 1, number 4) and pull firmly on the extender waist strap.



Figure 1

1. Contoured back heating pad
2. Elastic straps
3. Adjustable extender waist strap
4. Plastic strap length adjuster



Figure 2

NOTE: For optimum results, the contoured back heating pad should fit tightly but comfortably around the injured area.

HOW TO USE YOUR HEATING PAD

1. Make sure Control Connector is securely attached to the Pad Connector (Figure 3). Push both parts together for a tight fit.
   NOTE: Control must be connected to heating pad before plugging unit into outlet.
2. After control is connected to pad, plug into 120V AC electrical outlet.
3. To turn the pad on, press Push-Button (Figure 4, letter A) and select from 4 settings (Figure 4, letter B) by pressing Push-Botton successively to achieve desired heat level.
4. To turn the heat wrap off, you must scroll through the remaining heat settings by pressing the Push-Button sequentially.



A. Control Connector
B. Pad Connector

Figure 3

CAUTION:

- DO NOT SIT ON OR AGAINST OR CRUSH PAD to reduce the risk of burns, fire or personal injury.
- DO NOT USE WHILE SLEEPING.
- BURNS CAN OCCUR REGARDLESS OF CONTROL SETTING. CHECK SKIN UNDER PAD FREQUENTLY.
- SEE ADDITIONAL WARNINGS IN THE IMPORTANT SAFETY INSTRUCTIONS SECTION.



A. Push-Button
B. Heat Settings
C. Auto-Off Red Light

Figure 4

AUTO-OFF FEATURE

Your heating pad controller includes an Auto-Off feature. This feature is designed for convenience and to conserve energy by automatically turning off after 2 hours of continuous use. The Auto-Off LED light (Figure 4, letter C) is red when the heating pad is turned on. The Auto-Off Red Light will flash when the Auto-Off feature is activated and the pad shuts off. To reset after Auto-Off, press the Push-Button until the desired setting is reached.

NOTE: After a power outage or if the pad is unplugged, the Auto-Off feature automatically resets the timer.

HOW TO USE YOUR HEATING PAD WITH MOIST HEAT THERAPY

In some cases, you may find that moist heat therapy provides more comfort and relief. **When using moist heat therapy, you should protect furniture and clothing from becoming damp.**

1. Dampen the inner side of the heating pad with water by patting the surface with a wet sponge or cloth or use a spray bottle to apply a fine mist. Do not thoroughly soak pad.
2. Do not spray or dampen the pad connector (Figure 5).

DANGER: DO NOT IMMERSE THE PAD OR WIRING IN WATER OR PLACE UNDER RUNNING WATER. FAILURE TO COMPLY MAY RESULT IN PRODUCT FAILURE AND/OR PERSONAL INJURY. THE ELECTRICAL PAD CONNECTOR MUST BE THOROUGHLY DRY BEFORE ESTABLISHING ELECTRICAL CONNECTION.

Figure 5

WASHING INSTRUCTIONS

CAUTION: DO NOT DRY CLEAN! DO NOT BLEACH! DO NOT USE WRINGER!

1. **Disconnect pad from outlet. DO NOT PULL BY THE CORD.**
2. **Disconnect controller cord from pad by holding the pad side connector with one hand and pulling firmly on the cord side connector with the other hand.**
3. **Machine wash pad in cold water on gentle cycle or hand wash. Tumble dry on low heat and remove promptly from dryer or drape to dry.**
4. **DO NOT plug in pad and pad connector until completely dry.**

TROUBLESHOOTING:

Problem	Solutions
• No Heat • No Power	• Verify no physical damage to the cord, controller or pad. • Verify tight connection between pad and controller. • Verify AC outlet is functional. • Plug the unit back into an AC outlet. • If failure continues, discontinue use. See Warranty Information to contact Consumer Services.
• Control Shuts Off	• Auto-Off feature is set to turn unit off after selected Auto-Off time ends. • Restart unit by pressing On button. • Verify tight connection between pad and controller.
• Pad has a Hot Spot	• Make sure pad is not folded or bunched up in any area.
• Controller light starts flashing	If the controller light starts flashing, follow these steps: • Unplug the unit. • Verify tight connection between pad and controller. • Plug the unit back into an AC outlet. • Re-start unit by pressing On button. • If the error continues, discontinue use. See Warranty Information to contact Consumer Services.
• Controller 'Auto-Off' light is On & starts flashing.	• Auto-Off feature is set to turn unit off after selected auto-off time ends.

5-YEAR LIMITED WARRANTY

Sunbeam Products, Inc. ("Sunbeam") or if in Canada, Newell Brands Canada ULC warrants that for a period of five years from the date of initial retail purchase, this product will be free from defects in material and workmanship, when used in accordance with the instructions provided. Sunbeam, at its option, will repair or replace this product or any component of the product found to be defective during the warranty period. Replacement will be made with a new or remanufactured product or component. If the product is no longer available, replacement may be made with a similar product of equal or greater value. This is your exclusive warranty. Do NOT attempt to repair or adjust any electrical or mechanical functions on this product. Doing so will void this warranty. This warranty is valid for the original retail purchaser from the date of initial retail purchase and is not transferable. Keep the original sales receipt. Proof of purchase is required to obtain warranty performance. Sunbeam dealers, service centers, or retail stores selling Sunbeam products do not have the right to alter, modify or any way change the terms and conditions of this warranty. This warranty does not cover normal wear of parts or damage resulting from any of the following: negligent use or misuse of the product, use on improper voltage or current, use contrary to the operating instructions, disassembly, repair or alteration by anyone other than Sunbeam or an authorized Sunbeam service center. Further, the warranty does not cover: Acts of God, such as fire, flood, hurricanes and tornadoes.

What are the limits on Sunbeam's Liability?

Sunbeam shall not be liable for any incidental or consequential damages caused by the breach of any express, implied or statutory warranty or condition. Except to the extent prohibited by applicable law, any implied warranty or condition of merchantability or fitness for a particular purpose is limited in duration to the duration of the above warranty.

Sunbeam disclaims all other warranties, conditions or representations, express, implied, statutory or otherwise. Sunbeam shall not be liable for any damages of any kind resulting from the purchase, use or misuse of, or inability to use the product including incidental, special, consequential or similar damages or loss of profits, or for any breach of contract, fundamental or otherwise, or for any claim brought against purchaser by any other party. Some provinces, states or jurisdictions do not allow the exclusion or limitation of incidental or consequential damages or limitations on how long an implied warranty lasts, so the above limitations or exclusion may not apply to you. This warranty gives you specific legal rights, and you may also have other rights that vary from province to province, state to state or jurisdiction to jurisdiction.

How to Obtain Warranty Service

In the U.S.A. - If you have any question regarding this warranty or would like to obtain warranty service, please call 1-800-435-1250 and a convenient service center address will be provided to you.

In Canada - If you have any question regarding this warranty or would like to obtain warranty service, please call 1 800 667- 8623 and a convenient service center address will be provided to you.

In the U.S.A., this warranty is offered by Sunbeam Products, Inc. located in Boca Raton, Florida 33431.

In Canada, this warranty is offered by Newell Brands Canada ULC, located at 20B Hereford Street, Brampton, Ontario L6Y 0M1. If you have any other problem or claim in connection with this product, please write our Consumer Service Department.

PLEASE DO NOT RETURN THIS PRODUCT TO ANY OF THESE ADDRESSES OR TO THE PLACE OF PURCHASE.

FCC CERTIFIED

This device complies with part 15 of the FCC Rules. Operation is subject to the following two conditions: (1) This device may not cause harmful interference, and (2) this device must accept any interference received, including interference that may cause undesired operation.

Note: This product has been tested and found to comply with the limits for a Class B digital device, pursuant to part 15 of the FCC Rules. These limits are designed to provide reasonable protection against harmful interference in a residential installation. This product generates, uses and can radiate radio frequency energy and, if not installed and used in accordance with the instructions, may cause harmful interference to radio communications. However, there is no guarantee that interference will not occur in a particular installation. If this product does cause harmful interference to radio or television reception, which can be determined by turning the product off and on, the user is encouraged to try to correct the interference by one or more of the following measures:

- Reorient or relocate the receiving antenna.
- Increase the separation between the product and receiver.
- Connect the product into an outlet on a circuit different from that to which the receiver is connected.
- Consult the dealer or an experienced radio/TV technician for help.

Changes or modifications not expressly approved by the party responsible for compliance could void the user's authority to operate the equipment.

© 2020 Sunbeam Products, Inc. All rights reserved.

Printed in China. GCDS-SUN377298-SL P.N. 196037 Rev B

WWW.SUNBEAM.COM